The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volume 16

16:1 February 2001
Public Policy Issues
Stephen J. Page, PhD and William E. Reynolds, DDS, MPH
Issue Editor

16:2 April 2001
Advances in Neuroimaging: Applications to Traumatic Brain Injury
Joseph H. Ricker, PhD
Issue Editor

16:3 June 2001
Focus on Clinical Research and Practice, Part 1
Bruce Caplan, PhD and M. Elizabeth Sandel, MD
Issue Editors

16:4 August 2001
Long-Term Outcome Following TBI
Jeffrey S. Kreutzer, PhD
Issue Editor

16:5 October 2001
Pediatric Speech and Language Disorders Following TBI
Roberta De Pompei, PhD and Gillian Hotz, PhD
Issue Editor

16:6 December 2001
Focus on Clinical Research and Practice, Part 2
Bruce Caplan, PhD
Issue Editor

Author Index

A

Ahangar B *See* Burke DT

B

Bakeman R *See* Kupferberg S

Barisa MT: *Rehabilitation of Visual Disorder after Brain Injury*, by Zihl J (Book Review), 16(1):108

Barnes MA *See* Dennis M

Becker DP *See* Bergsneider M

Bergman T *See* Rockswold SB

Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP: Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, 16(2):135

Bernstein DM *See* Gaetz M

Bérubé J:
The Congressional Brain Injury Task Force, 16(6):608
The Traumatic Brain Injury Act Amendments of 2000, 16(2):210

Bigler ED: Quantitative magnetic resonance imaging in traumatic brain injury, 16(2):117

Biros M *See* Rockswold SB

Blaszczynski A *See* Simpson G

Bogner JA *See* Corrigan JD

Breese P *See* Spearman RC

Brooks WM, Friedman SD, Gasparovic C: Magnetic resonance spectroscopy in traumatic brain injury, 16(2):149

Brown AW *See* Greenwald BD

Bundick T: *Evaluation of Outcomes in Brain Injury Rehabilitation:* A Special Issue of *Neuropsychological Rehabilitation*, by Fleminger S, Powell S (Book Review), 16(5):513

Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK: Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, 16(3):284

Burke J *See* Burke DT

Bushnik T *See* Hammond FM

C

Caplan B: From the editor, 16(6):vi

Chapman SB, McKinnon L, Levin HS, Song J, Meier MC, Chiu S: Longitudinal outcome of verbal discourse in children with traumatic brain injury: Three-year follow-up, 16(5):441

Chase S *See* Steadman-Pare D

Cifu DX *See* Greenwald BD; Marwitz JH

Clinchot D *See* Corrigan JD

Code C *See* McDonald S

Colantonio A *See* Steadman-Pare D

Coplin WM, Cullen NK, Policherla PN, Vinas FC, Wilseck JM, Zafonte RD, Rengachary SS: Safety and feasibility of craniectomy with duraplasty as the initial surgical intervention for severe traumatic brain injury (Abstract by Laborde AT), 16(5):523

Corrigan JD, Bogner JA, Mysiw WJ, Clinchot D, Fugate L: Life satisfaction after traumatic brain injury, 16(6):543

Corrigan JD, The Traumatic Brain Injury Technical Assistance Center: Conducting statewide needs assessments for persons with traumatic brain injury, 16(1):1

Corrigan JD *See* Hammond FM

Cox DR: *Neuropsychological Management of Mild Traumatic Brain Injury*, by Raskin SA, Mateer CA (Book Review), 16(1):109

Cullen NK *See* Coplin WM

Cullen N *See* Zafonte RD

D

DeLuca J *See* Ricker JH

Dennis M, Barnes MA: Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, 16(5):456

DePompei R *See* Turkstra LS; Ylvisaker M

DePompei R, Frye D, DuFore M, Hunt P: Traumatic Brain Injury Collaborative Planning Group: A protocol for community intervention, 16(3):217

DePompei R, Hotz G: Pediatric speech and language disorders following traumatic brain injury (Preface), 16(5):vi

DuFore M *See* DePompei R

E

Elovic E *See* Zafonte RD

Elovic E, Zafonte RD: Ginkgo biloba: Applications in traumatic brain injury, 16(6):603

Enders LJ *See* Greenwald BD

Englander J *See* Greenwald BD; Marwitz JH

Erickson CA *See* Rockswold SB

Esty ML *See* Schoenberger NE

Etchepare M *See* Bergsneider M

F

Feeney T *See* Ylvisaker M

Feeney TJ, Ylvisaker M, Rosen BH, Greene P: Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, 16(1):61

Ferry K *See* Simpson G

Fleminger S, Powell S: *Evaluation of Outcomes in Brain Injury Rehabilitation:* A Special Issue of *Neuropsychological Rehabilitation* (Book Review by Bundick T), 16(5):513

Forget R *See* Gagnon I

Franklin C *See* Ylvisaker M

Friedman D *See* Gagnon I; Swaine BR

Friedman SD *See* Brooks WM

Frye D *See* DePompei R

Fugate L *See* Corrigan JD

G

Gaetz M, Bernstein DM: The current status of electrophysiologic procedures for the assessment of mild traumatic brain injury, 16(4):386

Gagnon I, Friedman D, Swaine B, Forget R: Balance findings in a child before and after a mild head injury, 16(6):595

Gasparovic C *See* Brooks WM

Ghiloni CT *See* Goodall P

Gillette Y: Pictures to print: A software scaffold to written literacy, 16(5):484

Glang A *See* Sohlberg MM; Ylvisaker M

Glenn MB, Yablon S, Whyte J, Zafonte R: To the editors, 16(1):vii

Goldberg AL: *Legal Aspects of Documenting Patient Care*, by Scott RW (Book Review), 16(1):107

Goodall P, Ghiloni CT: The changing face of publicly funded employment services, 16(1):94

Grafman J *See* Levin HS

Grattan KD *See* Hammond FM

Greene P *See* Feeney TJ

Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD: Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A multicenter analysis, 16(3):238

H

Halligan PW *See* Robertson IH

Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD: Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, 16(4):318

Helm-Estabrooks N *See* Hotz G

Hensley PL, Reeve A: A case of antidepressant-induced akathisia in a patient with traumatic brain injury, 16(3):302

Herzog J: *Communication Disorders Following Traumatic Brain Injury*, by McDonald S, Togher L, Code C (Book Review), 16(6):612

High WM Jr *See* Marwitz JH; Millis SR; Sander AM

Hillary FG *See* Ricker JH

Hinman RT *See* Burke DT

Hodgkinson A *See* Simpson G

Hotz G *See* DePompei R

Hotz G, Helm-Estabrooks N, Nelson NW: Development of the Pediatric Test of Brain Injury, 16(5):426

Hovda DA *See* Bergsneider M

Huang S-C *See* Bergsneider M

Hunt P *See* DePompei R

J

Johnson JC *See* McMahon MA

Johnston MV *See* Reynolds WE

Judd T: *Neuropsychotherapy and Community Integration: Brain Illness, Emotions and Behavior* (Book Review by Lewis L), 16(6):614

Jurjevic L *See* Tate RL

K

Kayala DE *See* Spearman RC

King A *See* Vaughn SL

Kolakowsky-Hayner SA, Miner KD, Kreutzer JS: Long-term life quality and family needs after traumatic brain injury, 16(4):374

Kreutzer JS:

Long-term outcome following traumatic brain injury (Preface), 16(4):v

See also Kolakowsky-Hayner SA; Millis SR

Kupferberg S, Morris MK, Bakeman R: Spontaneous facial expressivity in children with acquired brain injury, 16(6):573

L

Laborde AT:

Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, by Rockswold SB, Rockswold GL, Vargo JM, Erickson CA, Sutton R, Bergman T, Biros M (Abstract), 16(5):523

Safety and feasibility of craniectomy with duraplasty as the initial surgical intervention for severe traumatic brain injury, by Coplin WM, Cullen NK, Policherla PN, Vinas FC, Wilseck JM, Zafonte RD, Rengachary SS (Abstract), 16(5):523

Larsen J *See* Sohlberg MM

Leeb SB *See* Burke DT

Lemsky CM: *Cerebral Reorganization of Function after Brain Damage*, by Levin HS, Grafman J (Book Review), 16(2):214

Levin HS, Grafman J: *Cerebral Reorganization of Function after Brain Damage*, (Book Review by Lemsky CM), 16(2):214

Levin HS *See* Chapman SB

Lewis L: *Neuropsychotherapy and Community Integration: Brain Illness, Emotions and Behavior*, by Judd T (Book Review), 16(6):614

Lexell J *See* Zafonte RD

Lupton EC *See* Burke DT

M

Makatura TJ: *Clinical and Neuropsychological Aspects of Closed Head Injury*, by Richardson JTE (Book Review), 16(5):512

Marwitz JH *See* Greenwald BD

Marwitz JH, Cifu DX, Englander J, High WM Jr: A multi-center analysis of rehospitalizations five years after brain injury, 16(4):307

Mateer CA *See* Raskin SA

Matheis RJ *See* Schoenberger NE

Maxwell NM *See* Ylvisaker M

Mayer EAK *See* Burke DT

Mayer NH:

From the editor, 16(1):vi; 16(2):v

See also Pierce SM

McArthur DL *See* Bergsneider M

McCaffrey RJ *See* Palav A

McDeavitt JT *See* Wallace BE

McDonald S *See* Turkstra LS

McDonald S, Togher L, Code C: *Communication Disorders Following Traumatic Brain Injury* (Book Review by Herzog J), 16(6):612

McKinnon L *See* Chapman SB

McLaughlin KA *See* Sohlberg MM

McMahon MA, Noll RB, Michaud LJ, Johnson JC: Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, 16(6):587

McMillan TM *See* Wood RL

Meier MC *See* Chapman SB

Michaud LJ *See* McMahon MA

Millis SR, Rosenthal M, Novack TA, Sherer M, Nick TG, Kreutzer JS, High WM Jr, Richer JH: Long-term neuropsychological outcome after traumatic brain injury, 16(4):343

Miner KD *See* Kolakowsky-Hayner SA

Morris MK *See* Kupferberg S

Mysiw WJ *See* Corrigan JD

N

Nelson NW *See* Hotz G

Netsell R: Speech aeromechanics and the dysarthrias: Implications for children with traumatic brain injury, 16(5):415

Nick TG *See* Millis SR

Noll RB *See* McMahon MA

Novack TA *See* Millis SR

O

Ochs L *See* Schoenberger NE

Ortega A *See* Palav A

P

Page SJ *See* Reynolds WE

Page SJ, Reynolds WE: Public policy issues (Preface), 16(1):x

Palav A, Ortega A, McCaffrey RJ: Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, 16(3):275

Pearson S *See* Ylvisaker M

Perdices M *See* Tate RL

Pfaff A *See* Tate RL

Phelps ME *See* Bergsneider M

Pierce SM, Mayer NH, Whyte J: Computer-assisted exercise systems in traumatic brain injury: cases and commentary, 16(4):406

Pinkston JB *See* Varney NR

Policherla PN *See* Coplin WM

Powell S *See* Fleminger S

Prigatano GP: *Principles of Neuropsychological Rehabilitation* (Book Review by Warschausky S), 16(6):616

R

Raskin SA, Mateer CA: *Neuropsychological Management of Mild Traumatic Brain Injury* (Book Review by Cox DR), 16(1):109

Ratcliff G *See* Steadman-Pare D

Reeve A *See* Hensley PL

Rengachary SS *See* Coplin WM

Reynolds WE *See* Page SJ

Reynolds WE, Page SJ, Johnston MV: Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, 16(1):34

Richardson JTE: *Clinical and Neuropsychological Aspects of Closed Head Injury* (Book Review by Makatura TJ), 16(5):512

Ricker JH:
Advances in neuroimaging: Applications to traumatic brain injury (Preface), 16(2):vii

See also Millis SR

Ricker JH, Hillary FG, DeLuca J: Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, 16(2):191

Robertson IH, Halligan PW: *Spatial Neglect: A Clinical Handbook for Diagnosis and Treatment* (Book Review by Silver B), 16(6):613

Rockswold GL *See* Rockswold SB

Rockswold SB, Rockswold GL, Vargo JM, Erickson CA, Sutton R, Bergman T, Biros M: Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients (Abstract by Laborde AT), 16(5):523

Roebuck TM *See* Sander AM

Rosen BH *See* Feeney TJ; Spearman RC

Rosenthal M *See* Millis SR

S

Salazar AM, Warden D, Schwab K, Spector J: Response to letter to the editors, 16(1):viii

Sandel ME: From the editor, 16(3):v

Sander AM, Roebuck TM, Struchen MA, Sherer M, High WM Jr: Long-term maintenance of gains obtained in postacute rehabilitation by persons with traumatic brain injury, 16(4):356

Sasser H *See* Hammond FM

Satz P *See* Bergsneider M

Schneider JC *See* Burke DT

Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ: Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, 16(3):260

Schwab K *See* Salazar AM

Scott RW: *Legal Aspects of Documenting Patient Care* (Book Review by Goldberg AL), 16(1):107

Sehati N *See* Bergsneider M

Sherer M *See* Millis SR; Sander AM

Shiflett SC *See* Schoenberger NE

Shiu S *See* Chapman SB

Silver B: *Spatial Neglect: A Clinical Handbook for Diagnosis and Treatment*, by Robertson IH, Halligan PW (Book Review), 16(6):613

Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A: Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, 16(6):556

Simpson K *See* Burke DT

Sohlberg MM, McLaughlin KA, Todis B, Larsen J, Glang A: What does it take to collaborate with families affected by brain injury? A preliminary model, 16(5):498

Song J *See* Chapman SB

Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM: The use of Medicaid waivers and their impact on services, 16(1):47

Spector J *See* Salazar AM

Stamm BH *See* Spearman RC

Steadman-Pare D, Colantonio A, Ratcliff G, Chase S, Vernich L: Factors associated with perceived quality of life many years after traumatic brain injury, 16(4):330

Struchen MA *See* Sander AM

Sutton R *See* Rockswold SB

Swaine B *See* Gagnon I

Swaine BR, Friedman DS: Activity restrictions as part of the discharge management for children with a traumatic head injury, 16(3):292

T

Tate R *See* Simpson G

Tate RL, Perdices M, Pfaff A, Jurjevic L: Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, 16(6):525

Todis B *See* Sohlberg MM; Ylvisaker M

Togher L *See* McDonald S

Traumatic Brain Injury Technical Assistance Center *See* Corrigan JD

Turkstra LS, McDonald S, DePompei R: Social information processing in adolescents: Data from normally developing adolescents and preliminary data from their peers with traumatic brain injury, 16(5):469

Tyler JS *See* Ylvisaker M

U

Urbanczyk B *See* Ylvisaker M

V

Vargo JM *See* Rockswold SB

Varney NR, Pinkston JB, Wu JC: Quantitative PET findings in patients with posttraumatic anosmia, 16(3):253

Vaughn SL, King A: A survey of state programs to finance rehabilitation and community services for individuals with brain injury, 16(1):20

Verma A: "Low-tech" neuroprotection for brain injury, 16(2):206

Vernich L *See* Steadman-Pare D

Vinas FC *See* Coplin WM

W

Wagner AK *See* Wallace BE

Wagner EP *See* Wallace BE

Wallace BE, Wagner AK, Wagner EP, McDeavitt JT: A history and review of quantitative electroencephalography in traumatic brain injury, 16(2):165

Warden D *See* Salazar AM

Wargo LM *See* Spearman RC

Warschausky S: *Principles of Neuropsychological Rehabilitation*, by Prigatano GP (Book Review), 16(6):616

Whyte J *See* Glenn MB; Pierce SM

Wilseck JM *See* Coplin WM

Wood RL, McMillan TM: *Neurobehavioral Disability and Social Handicap following Traumatic Brain Injury* (Book Review by Woodbury B), 16(5):516

Woodbury B: *Neurobehavioral Disability and Social Handicap following Traumatic Brain Injury*, by Wood RL, McMillan TM (Book Review), 16(5):516

Wu JC *See* Varney NR

Y

Yablon SA *See* Glenn MB

Ylvisaker M *See* Feeney TJ

Ylvisaker M, Todis B, Glang A, Urbanczyk B, Franklin C, DePompei R, Feeney T, Maxwell NM, Pearson S, Tyler JS: Educating students with TBI: Themes and recommendations, 16(1):76

Z

Zafonte RD *See* Coplin WM; Elovic E; Glenn MB; Greenwald BD; Hammond FM

Zafonte RD, Elovic E: St. John's wort, 16(5):519

Zafonte RD, Lexell J, Cullen N: Possible applications for dopaminergic agents following traumatic brain injury: Part 2, 16(1):112

Zihl J: *Rehabilitation of Visual Disorder after Brain Injury* (Book Review by Barisa MT), 16(1):108

Zillinger M *See* Spearman RC

Zitnay GA: Response to letter to the editors, 16(1):viii

Subject Index

A

Abstracts

Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, Rockswold SB, Rockswold GL, Vargo JM, Erickson CA, Sutton R, Bergman T, Biros M (abstracted by Laborde AT), 16(5):523

Safety and feasibility of craniectomy with duraplasty as the initial surgical intervention for severe traumatic brain injury, Coplin WM, Cullen NK, Policherla PN, Vinas FC, Wilseck JM, Zafonte RD, Rengachary SS (abstracted by Laborde AT), 16(5):523

N-Acetylaspartate

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Activities of daily living

Balance findings in a child before and after a mild head injury, Gagnon I, Friedman D, Swaine B, Forget R, 16(6):595

Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A multicenter analysis, Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD, 16(3):238

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Adenosine triphosphate

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Adjustment

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Adolescents *See* Pediatric head injury

Akathisia

A case of antidepressant-induced akathisia in a patient with traumatic brain injury, Hensley PL, Reeve A, 16(3):302

Alternative medicine

Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ, 16(3):260

Ginkgo biloba: Applications in traumatic brain injury, Elovic E, Zafonte RD, 16(6):603

St. John's wort, Zafonte RD, Elovic E, 16(5):519

Amantadine

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

Americans with Disabilities Act

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Amnesia *See* Memory impairment

Anosmia

Quantitative PET findings in patients with posttraumatic anosmia, Varney NR, Pinkston JB, Wu JC, 16(3):253

Antidepressants

A case of antidepressant-induced akathisia in a patient with traumatic brain injury, Hensley PL, Reeve A, 16(3):302

Assessment instruments

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

B

Balance deficits

Balance findings in a child before and after a mild head injury, Gagnon I, Friedman D, Swaine B, Forget R, 16(6):595

Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A multicenter analysis, Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD, 16(3):238

Behavior

Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, Feeney TJ, Ylvisaker M, Rosen BH, Greene P, 16(1):61

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Biofeedback

Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ, 16(3):260

Book reviews

Cerebral Reorganization of Function after Brain Damage, Levin HS, Grafman J (reviewed by Lemsky CM), 16(2):214

Clinical and Neuropsychological Aspects of Closed Head Injury, Richardson JTE (reviewed by Makatura TJ), 16(5):512

Communication Disorders Following Traumatic Brain Injury, McDonald S, Togher L, Code C (reviewed by Herzog J), 16(6):612

Evaluation of Outcomes in Brain Injury Rehabilitation: A Special Issue of *Neuropsychological Rehabilitation*, Fleminger S, Powell S (reviewed by Bundick T), 16(5):513

Legal Aspects of Documenting Patient Care, Scott RW (reviewed by Goldberg AL), 16(1):107

Neurobehavioral Disability and Social Handicap following Traumatic Brain Injury, Wood RL, McMillan TM (reviewed by Woodbury B), 16(5):516

Neuropsychological Management of Mild Traumatic Brain Injury, Raskin SA, Mateer CA (reviewed by Cox DR), 16(1):109

Neuropsychotherapy and Community Integration: Brain Illness, Emotions and Behavior, Judd T (reviewed by Lewis L), 16(6):614

Principles of Neuropsychological Rehabilitation, Prigatano GP (reviewed by Warschausky S), 16(6):616

Rehabilitation of Visual Disorder after Brain Injury, Zihl J (reviewed by Barisa MT), 16(1):108

Spatial Neglect: A Clinical Handbook for Diagnosis and Treatment, Robertson IH, Halligan PW (reviewed by Silver B), 16(6):613

C

Caregivers

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

What does it take to collaborate with families affected by brain injury? A preliminary model, Sohlberg MM, McLaughlin KA, Todis B, Larsen J, Glang A, 16(5):498

Case management

Traumatic Brain Injury Collaborative Planning Group: A protocol for community intervention, DePompei R, Frye D, DuFore M, Hunt P, 16(3):217

Cerebral glucose metabolism

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

Children *See* Pediatric head injury

Choline

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Clinical research and practice

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

Balance findings in a child before and after a mild head injury, Gagnon I, Friedman D, Swaine B, Forget R, 16(6):595

Conducting statewide needs assessments for persons with traumatic brain injury, Corrigan JD, The Traumatic Brain Injury Technical Assistance Center, 16(1):1

Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A multicenter analysis, Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD, 16(3):238

Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ, 16(3):260

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Life satisfaction after traumatic brain injury, Corrigan JD, Bogner JA, Mysiw WJ, Clinchot D, Fugate L, 16(6):543

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

Quantitative PET findings in patients with posttraumatic anosmia, Varney NR, Pinkston JB, Wu JC, 16(3):253

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Spontaneous facial expressivity in children with acquired brain injury, Kupferberg S, Morris MK, Bakeman R, 16(6):573

Traumatic Brain Injury Collaborative Planning Group: A protocol for community intervention, DePompei R, Frye D, DuFore M, Hunt P, 16(3):217

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Cognitive impairment

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Long-term neuropsychological outcome after traumatic brain injury, Millis SR, Rosenthal M, Novack TA, Sherer M, Nick TG, Kreutzer JS, High WM Jr, Ricker JH, 16(4):343

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Collaboration

Traumatic Brain Injury Collaborative Planning Group: A protocol for community intervention, DePompei R, Frye D, DuFore M, Hunt P, 16(3):217

What does it take to collaborate with families affected by brain injury? A preliminary model, Sohlberg MM, McLaughlin KA, Todis B, Larsen J, Glang A, 16(5):498

Colorado

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Communication deficits

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

Longitudinal outcome of verbal discourse in children with traumatic brain injury: Three-year follow-up, Chapman SB, McKinnon L, Levin HS, Song J, Meier MC, Chiu S, 16(5):441

Pictures to print: A software scaffold to written literacy, Gillette Y, 16(5):484

Social information processing in adolescents: Data from normally developing adolescents and preliminary data from their peers with traumatic brain injury, Turkstra LS, McDonald S, DePompei R, 16(5):469

Speech aeromechanics and the dysarthrias: Implications for children with traumatic brain injury, Netsell R, 16(5):415

Community Integration Questionnaire

Long-term maintenance of gains obtained in postacute rehabilitation by persons with traumatic brain injury, Sander AM, Roebuck TM, Struchen MA, Sherer M, High WM Jr, 16(4):356

Community services

Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, Feeney TJ, Ylvisaker M, Rosen BH, Greene P, 16(1):61

A survey of state programs to finance rehabilitation and community services for individuals with brain injury, Vaughn SL, King A, 16(1):20

Traumatic Brain Injury Collaborative Planning Group: A protocol for community intervention, DePompei R, Frye D, DuFore M, Hunt P, 16(3):217

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Computers and software

Computer-assisted exercise systems in traumatic brain injury: Cases and commentary, Pierce SM, Mayer NH, Whyte J, 16(4):406

Pictures to print: A software scaffold to written literacy, Gillette Y, 16(5):484

Concussion

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

Congressional Brain Injury Task Force,

Bérubé JE, 16(6):608

Cost-benefit analysis

Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, Feeney TJ, Ylvisaker M, Rosen BH, Greene P, 16(1):61

D

Dementia

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Disability Rating Scale

Long-term maintenance of gains obtained in postacute rehabilitation by persons with traumatic brain injury, Sander AM, Roebuck TM, Struchen MA, Sherer M, High WM Jr, 16(4):356

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

Discharge management

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

Dopaminergic agents

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

E

Education

Educating students with TBI: Themes and recommendations, Ylvisaker M, Todis B, Glang A, Urbanczyk B, Franklin C, DePompei R, Feeney T, Maxwell NM, Pearson S, Tyler JS, 16(1):76

Electroencephalography

The current status of electrophysiologic procedures for the assessment of mild traumatic brain injury, Gaetz M, Bernstein DM, 16(4):386

Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ, 16(3):260

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Employment

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Entacapone

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

Evoked potentials

The current status of electrophysiologic procedures for the assessment of mild traumatic brain injury, Gaetz M, Bernstein DM, 16(4):386

Exercise

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

Computer-assisted exercise systems in traumatic brain injury: Cases and commentary, Pierce SM, Mayer NH, Whyte J, 16(4):406

F

Facial expressivity

Spontaneous facial expressivity in children with acquired brain injury, Kupferberg S, Morris MK, Bakeman R, 16(6):573

Family

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

What does it take to collaborate with families affected by brain injury? A preliminary model, Sohlberg MM, McLaughlin KA, Todis B, Larsen J, Glang A, 16(5):498

Flexyx Neurotherapy System

Flexyx Neurotherapy System in the treatment of traumatic brain injury: An initial evaluation, Schoenberger NE, Shiflett SC, Esty ML, Ochs L, Matheis RJ, 16(3):260

Fourier transform analysis

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Functional deficits

Factors associated with perceived quality of life many years after traumatic brain injury, Steadman-Pare D, Colantonio A, Ratcliff G, Chase S, Vernich L, 16(4):330

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Funding

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

A survey of state programs to finance rehabilitation and community services for individuals with brain injury, Vaughn SL, King A, 16(1):20

G

Galveston Orientation and Amnesia Test

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

Ginkgo biloba

Applications in traumatic brain injury, Elovic E, Zafonte RD, 16(6):603

Glasgow Coma Score

Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A

multicenter analysis, Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD, 16(3):238

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

H

Herbal remedies

Ginkgo biloba: Applications in traumatic brain injury, Elovic E, Zafonte RD, 16(6):603

St. John's wort, Zafonte RD, Elovic E, 16(5):519

I

Idaho

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

K

Kansas

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

L

Learning problems

Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, Ricker JH, Hillary FG, DeLuca J, 16(2):191

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Legislation *See also* Public policy issues

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

The Traumatic Brain Injury Act Amendments of 2000, Bérubé J, 16(2):210

M

Magnetic resonance imaging (MRI)

Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, Ricker JH, Hillary FG, DeLuca J, 16(2):191

Quantitative magnetic resonance imaging in traumatic brain injury, Bigler ED, 16(2):117

Magnetic resonance spectroscopy

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Magnetoencephalography

The current status of electrophysiologic procedures for the assessment of mild traumatic brain injury, Gaetz M, Bernstein DM, 16(4):386

Measurement

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

Medicaid

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Memory impairment

Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, Ricker JH, Hillary FG, DeLuca J, 16(2):191

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Mild head injury

Balance findings in a child before and after a mild head injury, Gagnon I, Friedman D, Swaine B, Forget R, 16(6):595

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

The current status of electrophysiologic procedures for the assessment of mild traumatic brain injury, Gaetz M, Bernstein DM, 16(4):386

Minnesota Multiphasic Personality Inventory (MMPI)

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Modified Oxford PTA Scale

Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements, Tate RL, Perdices M, Pfaff A, Jurjevic L, 16(6):525

Movement abnormalities

A case of antidepressant-induced akathisia in a patient with traumatic brain injury, Hensley PL, Reeve A, 16(3):302

N

Needs assessment

Conducting statewide needs assessments for persons with traumatic brain injury, Corrigan JD, The Traumatic Brain Injury Technical Assistance Center, 16(1):1

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Neuroimaging

Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, Ricker JH, Hillary FG, DeLuca J, 16(2):191

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

Quantitative magnetic resonance imaging in traumatic brain injury, Bigler ED, 16(2):117

Quantitative PET findings in patients with posttraumatic anosmia, Varney NR, Pinkston JB, Wu JC, 16(3):253

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Neuroprotection

"Low-tech" neuroprotection for brain injury, Verma A, 16(2):206

Neuropsychological assessment

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Long-term neuropsychological outcome after traumatic brain injury, Millis SR, Rosenthal M, Novack TA, Sherer M, Nick TG, Kreutzer JS, High WM Jr, Ricker JH, 16(4):343

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

New York

Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, Feeney TJ, Ylvisaker M, Rosen BH, Greene P, 16(1):61

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

O

Outcome

Factors associated with perceived quality of life many years after traumatic brain injury, Steadman-Pare D, Colantonio A, Ratcliff G, Chase S, Vernich L, 16(4):330

Life satisfaction after traumatic brain injury, Corrigan JD, Bogner JA, Mysiw WJ, Clinchot D, Fugate L, 16(6):543

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Long-term maintenance of gains obtained in postacute rehabilitation by persons with traumatic brain injury, Sander AM, Roebuck TM, Struchen MA, Sherer M, High WM Jr, 16(4):356

Long-term neuropsychological outcome after traumatic brain injury, Millis SR, Rosenthal M, Novack TA, Sherer M, Nick TG, Kreutzer JS, High WM Jr, Ricker JH, 16(4):343

Long-term recovery course after traumatic brain injury: A comparison of the Functional Independence Measure and Disability Rating Scale, Hammond FM, Grattan KD, Sasser H, Corrigan JD, Bushnik T, Zafonte RD, 16(4):318

Longitudinal outcome of verbal discourse in children with traumatic brain injury: Three-year follow-up, Chapman SB, McKinnon L, Levin HS, Song J, Meier MC, Chiu S, 16(5):441

A multi-center analysis of rehospitalizations five years after brain injury, Marwitz JH, Cifu DX, Englander J, High WM Jr, 16(4):307

P

Paraphilias

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Patient locator and minder system

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Pediatric head injury

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

Balance findings in a child before and after a mild head injury, Gagnon I, Friedman D, Swaine B, Forget R, 16(6):595

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Educating students with TBI: Themes and recommendations, Ylvisaker M, Todis B, Glang A, Urbanczyk B, Franklin C, DePompei R, Feeney T, Maxwell NM, Pearson S, Tyler JS, 16(1):76

Longitudinal outcome of verbal discourse in children with traumatic brain injury: Three-year follow-up, Chapman SB, McKinnon L, Levin HS, Song J, Meier MC, Chiu S, 16(5):441

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Social information processing in adolescents: Data from normally developing adolescents and preliminary data from their peers with traumatic brain injury, Turkstra LS, McDonald S, DePompei R, 16(5):469

Speech aeromechanics and the dysarthrias: Implications for children with traumatic brain injury, Netsell R, 16(5):415

Spontaneous facial expressivity in children with acquired brain injury, Kupferberg S, Morris MK, Bakeman R, 16(6):573

Pharmacology

A case of antidepressant-induced akathisia in a patient with traumatic brain injury, Hensley PL, Reeve A, 16(3):302

Ginkgo biloba: Applications in traumatic brain injury, Elovic E, Zafonte RD, 16(6):article 7 "low-tech" neuroprotection for brain injury, Verma A, 16(2):206

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

St. John's wort, Zafonte RD, Elovic E, 16(5):519

Phosphocreatine

Magnetic resonance spectroscopy in traumatic brain injury, Brooks WM, Friedman SD, Gasparovic C, 16(2):149

Positron emission tomography (PET)

Functionally activated brain imaging (O-15 PET and fMRI) in the study of learning and memory after traumatic brain injury, Ricker JH, Hillary FG, DeLuca J, 16(2):191

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

Quantitative PET findings in patients with posttraumatic anosmia, Varney NR, Pinkston JB, Wu JC, 16(3):253

Pramipexole

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

Psychosocial issues

Factors associated with perceived quality of life many years after traumatic brain injury, Steadman-Pare D, Colantonio A, Ratcliff G, Chase S, Vernich L, 16(4):330

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Social information processing in adolescents: Data from normally developing adolescents and preliminary data from their peers with traumatic brain injury, Turkstra LS, McDonald S, DePompei R, 16(5):469

Public policy issues

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Community supports for individuals with challenging behavior after brain injury: An analysis of the New York State Behavioral Resource Project, Feeney TJ, Ylvisaker M, Rosen BH, Greene P, 16(1):61

Conducting statewide needs assessments for persons with traumatic brain injury, Corrigan JD, The Traumatic Brain Injury Technical Assistance Center, 16(1):1

The Congressional Brain Injury Task Force, Bérubé JE, 16(6):608

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

Educating students with TBI: Themes and recommendations, Ylvisaker M, Todis B, Glang A,

Urbanczyk B, Franklin C, DePompei R, Feeney T, Maxwell NM, Pearson S, Tyler JS, 16(1):76

A survey of state programs to finance rehabilitation and community services for individuals with brain injury, Vaughn SL, King A, 16(1):20

The Traumatic Brain Injury Act Amendments of 2000, Bérubé J, 16(2):210

Q

Quality of life

Factors associated with perceived quality of life many years after traumatic brain injury, Steadman-Pare D, Colantonio A, Ratcliff G, Chase S, Vernich L, 16(4):330

Life satisfaction after traumatic brain injury, Corrigan JD, Bogner JA, Mysiw WJ, Clinchot D, Fugate L, 16(6):543

Long-term life quality and family needs after traumatic brain injury, Kolakowsky-Hayner SA, Miner KD, Kreutzer JS, 16(4):374

Quantitative electroencephalography

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Questionnaires *See* Assessment instruments

R

Rehabilitation

Computer-assisted exercise systems in traumatic brain injury: Cases and commentary, Pierce SM, Mayer NH, Whyte J, 16(4):406

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

Factors associated with balance deficits on admission to rehabilitation after traumatic brain injury: A multicenter analysis, Greenwald BD, Cifu DX, Marwitz JH, Enders LJ, Brown AW, Englander JS, Zafonte RD, 16(3):238

Long-term maintenance of gains obtained in postacute rehabilitation by persons with traumatic brain injury, Sander AM, Roebuck TM, Struchen MA, Sherer M, High WM Jr, 16(4):356

A survey of state programs to finance rehabilitation and community services for individuals with brain injury, Vaughn SL, King A, 16(1):20

Rehabilitation Workstation

Computer-assisted exercise systems in traumatic brain injury: Cases and commentary, Pierce SM, Mayer NH, Whyte J, 16(4):406

Rehospitalization

A multi-center analysis of rehospitalizations five years after brain injury, Marwitz JH, Cifu DX, Englander J, High WM Jr, 16(4):307

Rhode Island

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Ropinirole

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

S

Schooling

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Educating students with TBI: Themes and recommendations, Ylvisaker M, Todis B, Glang A, Urbanczyk B, Franklin C, DePompei R, Feeney T, Maxwell NM, Pearson S, Tyler JS, 16(1):76

Selective serotonin reuptake inhibitors

A case of antidepressant-induced akathisia in a patient with traumatic brain injury, Hensley PL, Reeve A, 16(3):302

Selegiline

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

Severe head injury

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

Sex offenses

Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: A controlled study, Simpson G, Tate R, Ferry K, Hodgkinson A, Blaszczynski A, 16(6):556

Siblings

Sibling adjustment to pediatric traumatic brain injury: A case-controlled pilot study, McMahon MA, Noll RB, Michaud LJ, Johnson JC, 16(6):587

Single photon emission computed tomography

Metabolic recovery following human traumatic brain injury based on FDG-PET: Time course and relationship to neurological disability, Bergsneider M, Hovda DA, McArthur DL, Etchepare M, Huang S-C, Sehati N, Satz P, Phelps ME, Becker DP, 16(2):135

Quantitative PET findings in patients with posttraumatic anosmia, Varney NR, Pinkston JB, Wu JC, 16(3):253

Social competence

Social information processing in adolescents: Data from normally developing adolescents and preliminary data from their peers with traumatic brain injury, Turkstra LS, McDonald S, DePompei R, 16(5):469

Spontaneous facial expressivity in children with acquired brain injury, Kupferberg S, Morris MK, Bakeman R, 16(6):573

Spectral analysis

A history and review of quantitative electroencephalography in traumatic brain injury, Wallace BE, Wagner AK, Wagner EP, McDeavitt JT, 16(2):165

Speech and language disorders

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

Development of the Pediatric Test of Brain Injury, Hotz G, Helm-Estabrooks N, Nelson NW, 16(5):426

Longitudinal outcome of verbal discourse in children with traumatic brain injury: Three-year follow-up, Chapman SB, McKinnon L, Levin HS, Song J, Meier MC, Chiu S, 16(5):441

Pictures to print: A software scaffold to written literacy, Gillette Y, 16(5):484

Speech aeromechanics and the dysarthrias: Implications for children with traumatic brain injury, Netsell R, 16(5):415

Sports participation

Activity restrictions as part of the discharge management for children with a traumatic head injury, Swaine BR, Friedman DS, 16(3):292

St. John's wort,

Zafonte RD, Elovic E, 16(5):519

State programs

Conducting statewide needs assessments for persons with traumatic brain injury, Corrigan JD, The Traumatic Brain Injury Technical Assistance Center, 16(1):1

Coordinated and adequately funded state streams for rehabilitation of newly injured persons with TBI, Reynolds WE, Page SJ, Johnston MV, 16(1):34

A survey of state programs to finance rehabilitation and community services for individuals with brain injury, Vaughn SL, King A, 16(1):20

T

Talking Lights

Using Talking Lights to assist brain-injured patients with daily inpatient therapeutic schedule, Burke DT, Leeb SB, Hinman RT, Lupton EC, Burke J, Schneider JC, Ahangar B, Simpson K, Mayer EAK, 16(3):284

Technology

Computer-assisted exercise systems in traumatic brain injury: Cases and commentary, Pierce SM, Mayer NH, Whyte J, 16(4):406

Pictures to print: A software scaffold to written literacy, Gillette Y, 16(5):484

Text comprehension

Comparison of literal, inferential, and intentional text comprehension in children with mild or severe closed head injury, Dennis M, Barnes MA, 16(5):456

Tolcapone

Possible applications for dopaminergic agents following traumatic brain injury: Part 2, Zafonte RD, Lexell J, Cullen N, 16(1):112

Traumatic Brain Injury Act Amendments of 2000,

Bérubé J, 16(2):210

Traumatic Brain Injury Model Systems

A multi-center analysis of rehospitalizations five years after brain injury, Marwitz JH, Cifu DX, Englander J, High WM Jr, 16(4):307

V

Validity

Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients, Palav A, Ortega A, McCaffrey RJ, 16(3):275

Vermont

The use of Medicaid waivers and their impact on services, Spearman RC, Stamm BH, Rosen BH, Kayala DE, Zillinger M, Breese P, Wargo LM, 16(1):47

Vocational rehabilitation

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

W

Work Incentive Improvement Act

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94

Workforce Investment Act

The changing face of publicly funded employment services, Goodall P, Ghiloni CT, 16(1):94